



Mipa Premium-Klarlack Hochglanz

Product Information

GB - 2/1119

Art.Nr.: 21501 0020

Mipa Premium-Klarlack Hochglanz is a premium quality clearcoat with excellent flow and excellent anti-sagging properties. This fast drying lacquer demonstrates good filling properties and excellent gloss retention. Non-yellowing protective coating with outstanding UV-resistance. Scratch, shock and weather resistant.



Substrate:

Thoroughly dry basecoats and old paint work.



Pretreatment / Cleansing:

bei Altlackierungen Vorreinigung mit Mipa Silikonentferner

Characteristics:

Excellent weather resistance, scatch and shock resistant
Lightfast, Non-yellowing
High surface hardness with good elasticity
Good adhesion, High gloss
Excellent flow
Good polishability

Colour / Grade of Gloss:	Colourless High gloss retention
-------------------------------------	------------------------------------

Preparation:



Shake can vigorously until the mixing balls move freely!

Application:



Spray to test - Spraying distance approx. 20 - 30 cm
2 - 3 coats, dry film thickness 40 - 50 µm.

Flash-off:



3 - 5 min. between each coating

After use:



Turn can upside down and spray until the valve is clean, this prevents the valve from clogging up.

Drying Times:



Drying:	Dust dry:	10 - 15 Min
	Set to touch:	1 - 1.5 h
	Full hardness:	16 h

Processing Conditions:

From +10°C and up to 80% relative air humidity

Storage:

In tightly closed original containers at least 2 years shelf life

VOC- Regulation:

EC limiting value for the product (cat. B/e): 840 g/l (2007)
This product contains max. 710 g/l VOC [5.93 lbs/gal]

Safety Information:

Read the corresponding Material Safety Data Sheet

The data sheet is for information purpose only! The information given is in accordance to our knowledge up to the latest standards and is based on years of experience in the manufacture of our products. The information is non binding and without guarantee.